

# Lead2Passed



Lead2Passed

HOME

ALL VENDORS

★ GUARANTEE

? FAQ

TESTIMONIALS

Login / Register My Shopcart (1)

Input your exam code ...



## Try before you buy

Download a free sample of any of our exam questions and answers

- ✓ Online Test Engine: Online Tool, Convenient, easy to study. Instant Online Access. Supports All Web Browsers.
- ✓ PDF format: Easy to read and print learning materials, our products are available in PDF file format.
- ✓ Desktop Test Engine: Installable Software Application. Simulates Real Exam Environment. Practice Offline Anytime.



### Security & Privacy

We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.



### 365 Days Free Updates

Free update is available within 365 days after your purchase. After 365 days, you will get 50% discounts for updating.



### Money Back Guarantee

Full refund if you fail the corresponding exam in 60 days after purchasing. And Free get any another product.



### Instant Download

After Payment, our system will send you the products you purchase in mailbox in a minute after payment. If not received within 2 hours, please contact us.

<http://www.lead2passed.com>

Valid Certification Exam Dumps Materials and Study Guide -  
Lead2Passed

**Exam :** 642-775

**Title :** Maintaining Cisco Service Provider  
Routing Protocols (MSPRP

**Vendors :** Cisco

**Version :** DEMO

1.Refer to the exhibit. Which commands append a prefix of 3.3.3.3/32 to prefix-set "test"?

```
prefix-set test
 1.1.1.1/32,
 2.2.2.2/32
end-set
```

A. Prefix-set test  
3.3.3.3/32  
End-test

B. Prefix-set test  
Append 3.3.3.3/32  
End-set

C. Prefix-set test  
1.1.1.1/32,2.2.2.2/32,3.3.3.3/32  
End-set

Answer: C

2.Which statement accurately describes the BGP community filtering in Cisco IOS Software.?

- A. can be configured for IBGP neighbors only
- B. can be configured for both IBGP and EBGP neighbors
- C. can be configured for EBGP neighbors only
- D. cannot be configured for IBGP or EBGP neighbors

Answer: B

3.What effect will the command timers throttle spf 5 1000 90000 have on an OSPF router?

- A. The router dynamically reduces the frequency with which it computes the SPF tree during times of network instability.
- B. The command improves router performance by limiting the amount of CPU cycles that are consumed over time when calculating the SPF tree.
- C. When recalculating the SPF tree, the LSA update timers are changed to lessen the impact on memory and CPU usage during LSA floods.
- D. The command specifies the number of LSAs that must be received in a particular time frame before initiating a complete SPF recalculation.

Answer: A

4.While troubleshooting a loss of connectivity, you notice the log entry

```
Mar 16 08:20:16 %OSPF-5-ADJCHG: Process 1. Nbr 1.1.1.130 on Vlan30 from FULL to EXSTART. SeqNumberMismatch
```

After logging into the device, you notice that the router seems to be stuck in the EXSTART state  
When does this problem most frequently occur?

- A. during startup of the OSPF process
- B. during high CPU load on the router
- C. when the two routers report different versions of OSPF

D. when there is a mismatch between MTU settings for neighbor router interfaces

Answer: D

5. Which Cisco IOS XR Software hierarchical Route Policy Language policy configuration uses the existing RPL policy "test"?

A. route-policy test  
apply test

B. route-policy new  
use test

C. route-policy new  
apply test

D. route-policy new  
use policy test

Answer: C