

# Lead2Passed



Lead2Passed

HOME

ALL VENDORS

★ GUARANTEE

? FAQ

TESTIMONIALS

Login / Register My Shopcart (1)

Input your exam code ...



## Try before you buy

Download a free sample of any of our exam questions and answers

- ✓ Online Test Engine: Online Tool, Convenient, easy to study. Instant Online Access. Supports All Web Browsers.
- ✓ PDF format: Easy to read and print learning materials, our products are available in PDF file format.
- ✓ Desktop Test Engine: Installable Software Application. Simulates Real Exam Environment. Practice Offline Anytime.



### Security & Privacy

We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.



### 365 Days Free Updates

Free update is available within 365 days after your purchase. After 365 days, you will get 50% discounts for updating.



### Money Back Guarantee

Full refund if you fail the corresponding exam in 60 days after purchasing. And Free get any another product.



### Instant Download

After Payment, our system will send you the products you purchase in mailbox in a minute after payment. If not received within 2 hours, please contact us.

<http://www.lead2passed.com>

Valid Certification Exam Dumps Materials and Study Guide -  
Lead2Passed

**Exam :** C2090-541

**Title :** DB2 9.7 DBA for Linux UNIX and Windows

**Vendors :** IBM

**Version :** DEMO

NO.1 Which command will reorg all indexes for a table named TABA?

- A. REORG TABLEtaba INDEXES INPLACE
- B. REORG TABLEtaba AND INDEXES ALL
- C. REORG INDEXES FORtaba
- D. REORG INDEXES ALL FOR TABLEtaba

**Answer: D**

NO.2 Given the DDL shown below:

```
CREATE TABLE tab1 (coll SMALLINT );  
CREATE VIEW v1 AS SELECT coll FROM tab1 WHERE coll > 25 ;  
CREATE VIEW V2 AS SELECT COI1 FROM v1 WITH CASCADED CHECK  
OPTION  
CREATE VIEW v3 AS SELECT coll FROM v2 WHERE coll < 100 ;
```

Which statement will fail?

- A. INSERT INTO v2 VALUES (35)
- B. INSERT INTO v1 VALUES (5)
- C. INSERT INTO v3 VALUES (25)
- D. INSERT INTO v3 VALUES (200)

**Answer: C**

NO.3 Click the Exhibit button

Given the INSERT statements shown below:

```
INSERT INTO applicant VALUES (1 , 'M' 54); INSERT INTO applicant VALUES (2, 'F', 38); INSERT INTO  
applicant VALUES (3, 'M', 21); INSERT INTO applicant VALUES (4, 'F', 91); INSERT INTO applicant  
VALUES (5, 'C', 50); INSERT INTO applicant VALUES (6, 'C', 70); INSERT INTO applicant VALUES (7, 'C',  
95);
```

How many rows will be successfully inserted?

- A. 1
- B. 3
- C. 5
- D. 7


**Answer: C**

NO.4 Which statement is correct about informational constraints?

- A. An informational constraint can be used by the SQL compiler to improve the access to data and query performance.
- B. The database manager uses an informational constraint to enforce the uniqueness of the key during changes to the columns of the unique constraint.
- C. An informational constraint is a column or combination of columns that has the same properties as a unique constraint.
- D. An informational constraint specifies that every row that is inserted or updated in the table must conform to the definition of the table.

**Answer: A**

NO.5 Click the Exhibit button.



IBM 000-541: Practice Exam

In the exhibit, where would the authentication of the supplied userid and password from a remote client take place?

- A. AIX operating system
- B. LDAP Server
- C. Kerberos Server
- D. "MyPlugin.so" GSS-API plug-in

**Answer: B**

NO.6 Which two plug-in types does the DB2 database system provide? (Choose two.)

- A. Group retrieval
- B. Kerberos authentication
- C. Server authentication
- D. Encryption authentication

**Answer:** A,C

NO.7 What are three authorization categories in DB2? (Choose three.)

- A. System-level
- B. Database-level
- C. Network-level
- D. Object-level
- E. Instance-level

**Answer:** A,B,D

NO.8 What are three system and database level authorizations available with DB2? (Choose three.)

- A. SYSMON
- B. SYSMNT
- C. DBCTRL
- D. SYS ADM
- E. DBADM

**Answer:** A,D,E

NO.9 A DBA wants to use Label Based Access Control (LBAC) to protect Individual rows in a table. Which data type must be used to create a column to hold the necessary LBAC security data?

- A. SYSPROC.DB2LBACU\BEL
- B. SYSPROC.DB2SECURITYU\BEL
- C. SYSIBM.DB2LBACLABEL
- D. SYSIBM.DB2SECURITYLABEL

**Answer:** D

NO.10 Which administrative authority is needed to run the audit stored procedures and table functions such as the AUDIT\_DELIM\_EXTRACT stored procedure?

- A. DBADM
- B. SECADM
- C. SQLADM
- D. SYS ADM

**Answer:** B