

Lead2Passed



Lead2Passed

HOME

ALL VENDORS

★ GUARANTEE

? FAQ

TESTIMONIALS

Login / Register My Shopcart (1)

Input your exam code ...



Try before you buy

Download a free sample of any of our exam questions and answers

- ✓ Online Test Engine: Online Tool, Convenient, easy to study. Instant Online Access. Supports All Web Browsers.
- ✓ PDF format: Easy to read and print learning materials, our products are available in PDF file format.
- ✓ Desktop Test Engine: Installable Software Application. Simulates Real Exam Environment. Practice Offline Anytime.



Security & Privacy

We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.



365 Days Free Updates

Free update is available within 365 days after your purchase. After 365 days, you will get 50% discounts for updating.



Money Back Guarantee

Full refund if you fail the corresponding exam in 60 days after purchasing. And Free get any another product.



Instant Download

After Payment, our system will send you the products you purchase in mailbox in a minute after payment. If not received within 2 hours, please contact us.

<http://www.lead2passed.com>

Valid Certification Exam Dumps Materials and Study Guide -
Lead2Passed

Exam : CCB-400

Title : Cloudera Certified Specialist in
Apache HBase

Vendors : Cloudera

Version : DEMO

NO.1 You have one primary HMaster and one standby. Your primary HMaster Falls fails and your client application needs to make a metadata change.

Which of the following is the effect on your client application?

- A. The client will queryZooKeepertofind the location of the new HMaster and complete the metadata change.
- B. The client will make the metadata change regardless of the slate of the HMaster.
- C. The new HMaster will notify the client and complete the metadata change.
- D. Theclientapplication will fail with a runtime error.

Answer: A

NO.2 You have an average key-value pair size of 100 bytes.

Your primary access is random needs on the table.

Which of the following actions will speed up random reading performance on your cluster?

- A. Turn off WAL on puts
- B. Increase the number of versions kept
- C. Decrease the block size
- D. Increase the block size

Answer: D

NO.3 The cells in a given row have versions that range from 1000 to 2000. You execute a delete specifying the value 3000 for the version.

What is the outcome?

- A. The delete fails with an error.
- B. Only cells equal to the Specified version are deleted.
- C. The entire row is deleted.
- D. Nothing in the row is deleted.

Answer: C

NO.4 You have an "Employees" table in HBase. The Row Keys are the employees' IDs. You would like to retrieve all employees who have an employee ID between 'user_100' and 'user_110'.

The shell command you would use to complete this is:

- A. scan'Employees', {STARTROW =>'user_100', STOPROW =>'user_111'}
- B. get'Employees', {STARTROW =>'user_100', STOPROW =>'user_110'}
- C. scan'Employees', {STARTROW =>'user_100', SLIMIT => 10}
- D. scan'Employees', {STARTROW =>'user_100', STOPROW =>'user_110'}

Answer: D

NO.5 Under default settings, which feature of HBase ensures that data won't be lost in the event of a Region Server failure?

- A. AllHBase activity is written to the WAL, which is stored in HDFS
- B. All operations are logged on theHMaster.
- C. HBase is ACID compliant, which guarantees that itis Durable.
- D. Data is stored on the local filesystem of the RegionServer.

Answer: A